

PowerFloat Inc.

112, 7865 – 56th Street SE Calgary, AB T2C 5S7 1-877-969-2233 Toll Free info@powerfloat.net / www.powerfloat.net

USA

PowerLite REPAIR PROCEDURES

In the event that your PowerLite is damaged or is not operating properly you will need to send it in to PowerFloat for repair at:

PowerFloat Inc. 112, 7865 – 56th Street SE Calgary, Alberta T2C 5S7 1-877-969-2233

1. Please package your PowerLite with bubble wrap in a box to protect against any damages during shipping. Do **NOT** include batteries or charger. Lithium batteries are considered dangerous goods and require additional documentation for shipping due to potential hazards during transport.

Please note: PowerFloat will not be responsible for damages due to shipping.

- 2. Complete the **Return Authorization Form** and make two (2) copies.
 - Email to: info@powerfloat.net or fax to 403-984-7702
 - Include one copy in the box with your PowerLite
 - Retain one copy for your records
- 3. Fill in the highlighted areas of the **Commercial Invoice** we provide and attach to the outside of the box. This form documents that the product is being sent to Canada for repair and then will be returned back to the US.
- 4. Customers are responsible for all shipping costs. Please retain copies of all tracking numbers for your records. Please ship your PowerLite by **UPS*** courier if possible. If you do not have an account with a courier company, please notify the PowerFloat office and we will make arrangements for your return shipping.
 - *Shipments sent via FedEx or other courier services will likely be subject to a customs and duties fee that will be added to the repair invoice.
 - ** If you ship via the US postal service make sure you get a tracking number.
- 5. A quote of repair costs will be provided prior to all repairs being completed.
- 6. Please direct any questions or concerns regarding the repairs to the PowerFloat office at 1-877-969-2233.

USA



POWERLITE REPAIR AUTHORIZATION

Return Shipping Waybill Number if included:

Please complete:

- SCAN and email a copy of this form to: info@powerfloat.net
- Forward one (1) copy in the box with your PowerLite to PowerFloat. **CUSTOMER INFORMATION** Ship Date: Clinic Name: Doctor's Name: Address: Phone Number: Fax: Email: **POWERLITE REPAIR INFORMATION** Please explain problem: ☐ Yes □ No Is this a possible Warranty Repair? *If YES please indicate the date of purchase: _____ (PowerLites may qualify for warranty if within 6 months of purchase date) **SHIPPING INFORMATION** Shipments sent via FedEx or other courier services will likely be subject to a customs and duties fee that will be added to the repair invoice. Courier: _____ Shipping Waybill Number to PowerFloat:

Commercial Invoice							
SELLER/SHIPPER (Name, Full Address, Country)		Invoice Date and Number (Cust	comer Order Number	
Tax Identification Number (EIN)		Tracking ID/Air Waybill No.					
CONSIGNEE (Name, Full Address, Country) PowerFloat Inc. 112, 7865 -56th Street SE Calgary, Alberta T2C 5S7		Buyer (if Other than Consignee)					
Port of Lading		Terms and Conditions of Delivery and Payment (incoterms)					
Final Destination Calgary, Alberta	Exporting Carrier						
Other Transportation Information		Currency of Sale USD					
Marks and Numbers	Total Number of Packages 1	Total Gross Weight (kg) 2.2 Kg			Cubi	c Meters	
Complete And Accurate Commodity Description And Country of Manufacture		Unit	Quantity/ Unit of Measure Unit Pr)	Amount	
POWERLITE FOR USE IN EQUINE DENTISTRY. COUNTRY OF MANUFACTURE: CANADA RETURNING FOR REPAIR. Code: 9018.90.80.00			1			\$50.00	
These commodities, technology, or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to United States law is prohibited. I declare all the information contained in this invoice to be true and correct. * Signature and Status of Date Place			Packing Costs Freight Costs Other Transportation Costs Handling Insurance Costs Assists Additional Fees				
Authorized Person			Duties and Taxes				
Page 1 of 1 _			Total Invoice Value				